Geological Magazine

with which is incorporated

The Geologist

founded in 1864 by the late DR HENRY WOODWARD, F.R.S.

Edited by W. B. HARLAND, M.A.
C. P. HUGHES, M.A.
and G. A. CHINNER, PH.D.

assisted by MRS M. J. MASON

Associate editors

SIR KINGSLEY DUNHAM, D.SC., F.R.S.
MR N. L. FALCON, M.A., F.R.S.
PROFESSOR LEONARD HAWKES, D.SC., F.R.S.
SIR PETER KENT, D.SC., F.R.S.
DR S. R. NOCKOLDS, PH.D., F.R.S.
PROFESSOR F. W. SHOTTON, M.B.E., M.A., SC.D., F.R.S.
SIR JAMES STUBBLEFIELD, D.SC., F.R.S.

Volume 113 of Whole Series
January–December 1976

CAMBRIDGE UNIVERSITY PRESS
CAMBRIDGE · LONDON · NEW YORK

PUBLISHED BY
THE SYNDICS OF THE CAMBRIDGE UNIVERSITY PRESS
The Pitt Building, Trumpington Street, Cambridge CB2 1RP
Bentley House, P.O. Box 92, 200 Euston Road, London NW1 2DB
32 East 57th Street, New York, N.Y. 10022

© Cambridge University Press 1976

Pagination and dates of publication of issues in this volume

Number 1: pp. 1–96 January 1976
2: pp. 97–192 March 1976
3: pp. 193–304 May 1976
4: pp. 305–400 July 1976
5: pp. 401–496 September 1976
6: pp. 497–592 December 1976

Printed in Great Britain at the University Printing House, Cambridge

Contents

ARTICLES

(Figures in bold type denote number of issue)

AGUIRRE, L.
Structural evolution of the Northernmost Andes, Colombia, **5**, 475

ALI, M. T.
The significance of a mid-Cretaceous cobble conglomerate, Beer District, South Devon, **2**, 151

BENNETT, M. C.
The ultramafic–mafic complex at North Cape, northernmost New Zealand, **1**, 61

BOWES, D. R., HOPGOOD, A. M. & PIDGEON, R. T.
Source ages of zircons in an Archaean quartzite, Rona, Inner Hebrides, Scotland, **6**, 545

BRERETON, N. R., HOOKER, P. J. & MILLER, J. A.
Some conventional potassium–argon and $^{40}Ar/^{39}Ar$ age studies of glauconite (Plate 1), **4**, 329

BRUNSDEN, D., DOORNKAMP, J. C., GREEN, C. P. & JONES, D. K. C.
Tertiary and Cretaceous sediments in solution pipes in the Devonian Limestone of South Devon, England, **5**, 441

CAMERON, W. E.
Coexisting sillimanite and mullite (Plates 1–2), **6**, 497

CHALLINOR, J.
The 'Precambrian' in Cambria, **5**, 449

CRIMES, T. P. & MARCOS, A.
Trilobite traces and the age of the lowest part of the Ordovician reference section for N.W. Spain (Plates 1–2), **4**, 349

CROWTHER, P. R. & JENKINS, C. J.
Retiolitids from the Llanvirn and Darriwillian (Plate 1), **3**, 277

DESMET, A. P.
Evidence of co-genesis of the Troodos Lavas, Cyprus, **2**, 165

DE WIT, M. J.
A note on the origin of syntectonic porphyroblasts and their inclusion fabrics (Plates 1–3), **4**, 383

DUNCAN, A. M.
Pyroclastic flow deposits in the Adrano area of Mount Etna, Sicily, **4**, 357

DURRANCE, E. M.
A gravity survey of Islay, Scotland, **3**, 251

FITCH, F. J., MILLER, J. A. & HOOKER, P. J.
Single whole rock K–Ar isochrons, **1**, 1

FRENCH, W. J.
Rock composition, density and a variation diagram, **4**, 371

FREUND, R. & MERZER, A. M.
The formation of rift valleys and their zigzag fault patterns (Plate 1), **6**, 561

FUNNELL, B. M.
Geological Hazards, **5**, 487

FURNISH, W. M., GLENISTER, B. F., KUMMEL, B., SPINOSA, C., SWEET, W. & TEICHERT, C.
Reinterpretation of ceratitic ammonoids from the Greville Formation, New Zealand, **1**, 39

HAIDUTOV, I. S.
A greenstone belt–basement relationship in the Tanganyika shield, **1**, 53

HUGHES, N. F., HARLAND, W. B. & SMITH, D. G.
Preservation and abundance of palynomorphs in Svalbard, **3**, 233

JULL, R. K.
Review of some species of *Favistina*, *Nyctopora*, and *Calapoecia* (Ordovician corals from North America) (Plates 1–4), **5**, 457

KNOX, G. J.
The early Tertiary deep-water sandstones near San Sebastian, Spain; some aspects of diagenesis (Plates 1–4), **4**, 341

LEITCH, E. C.
Emplacement of an epizonal granodiorite pluton λ by vertical block elevation, **6**, 553

MACRAE, N. D., GRANT, M. & KULLERUD, G.
A note on the sulphurization of Fe–Tremolite (Plate 1), **6**, 575

MATTHEWS, D. W.
Post-cumulus disruption of the Lilloise Intrusion, East Greenland (Plate 1), **3**, 287

MAW, U BA, SAN, U BO, ROSS, J. R. P. & CIOCHON, R. L.
The Ordovician Bryozoan (Ectoproct) *Diplotrypa* from Central Burma (Plate 1), **6**, 515

McCLAY, K. R. & CAMPBELL, I. H.
The structure and shape of the Jimberlana Intrusion, Western Australia, as indicated by an investigation of the Bronzite Complex, **2**, 129

MITCHELL, J. G., JONES, E. J. W. & JONES, G. T.
The composition and age of basalts dredged from the Blackstones igneous centre, western Scotland, **6**, 525

NAMI, M.
An exhumed Jurassic meander belt from Yorkshire, England (Plates 1–2), **1**, 47

PAUL, C. R. C.
Ordovician echinoderms from Greenland, **1**, 29

PICKERILL, R. K.
Vermiforichnus borings from the Ordovician of central Wales, **2**, 159

PLIMER, I. R.
Garnet–biotite relationships in high grade metamorphic rocks at Broken Hill, Australia, **3**, 263

REID, R. E. H.
Late Cretaceous climatic trends, faunas, and hydrography in Britain and Ireland, **2**, 115

ROBERTS, D. E.
Cleavage formation in the Skiddaw Slates of the northern Lake District, England (Plates 1–2), **4**, 377

ROCK, N. M. S.
The role of CO_2 in alkali rock genesis, **2**, 97

ROMANO, M.
The trilobite genus *Placoparia* from the Ordovician of the Valongo area, North Portugal (Plate 1), **1**, 11

ROOBOL, M. J.
Post-eruptive mechanical sorting of pyroclastic material – an example from Jamaica (Plates 1–2), **5**, 429

SCRUTTON, C. T., HORSFIELD, W. T. & HARLAND, W. B.
Silurian fossils from western Spitsbergen, **6**, 519

SHOTTON, F. W.
Amplification of the Wolstonian Stage of the British Pleistocene, **3**, 241

SMITH, D. G., HARLAND, W. B., HUGHES, N. F. & PICKTON, C. A. G.
The geology of Kong Karls Land, Svalbard, **3**, 193

STUART, A. J. & WEST, R. G.
Late Cromerian Fauna and Flora at Ostend, Norfolk, **5**, 469

SUÁREZ, M. & PETTIGREW, T. H.
An Upper Mesozoic island-arc–back-arc system in the southern Andes and South Georgia, **4**, 305

TAMMEMAGI, H. Y.
Radioelement concentrations in British Tertiary Granites, **3**, 271

THAKUR, V. C. & TANDON, S. K.
Significance of pebble and mineral lineation in the Chamba syncline of Punjab Himalaya, Himachal Pradesh, India, **2**, 141

TUCKER, M. E.
Quartz replaced anhydrite nodules ('British Diamonds') from the Triassic of the Bristol District (Plates 1–2), **6**, 569

TURNER, P., TARLING, D. H., ARCHER, R. & DONOVAN, R. N.
A palaeomagnetic argument concerning post-Devonian displacement along the Great Glen Fault, **4**, 365

WATERHOUSE, J. B. & BONHAM-CARTER, G.
Range, proportionate representation, and demise of brachiopod families through Permian Period, **5**, 401

WEAVER, J. D.
Seismically-induced load structures in the basal Coal Measures, South Wales, **6**, 535

WILLIAMS, D. M.
Clastic dykes from the Precambrian Porsangerfjord Group, North Norway (Plates 1–2), **2**, 169

WILLIAMS, H. R.
An erosional structure in a layered dolerite dyke, West Greenland (Plates 1–2), **1**, 77

CORRESPONDENCE

BATE, R. H. New name for *Rhadinocythere* Bate, 1975, **5**, 489

O'CONNOR, P. J. Strontium isotope ratios of some acid rocks from Mull and and Arran, Scotland, **4**, 389

REVIEWS

Applied Geophysics, **5**, 492
Carbonate Facies in Geologic History, **6**, 584
Compaction of Coarse-grained Sediments, **2**, 180
Coupes et Cartes géologiques, **4**, 396
Death Valley. Geology, Ecology, Archaeology, **6**, 585
Deposits of Fossil Fuels, **2**, 178
Devonian Stratigraphy of the Hudson Platform, **6**, 589
The Earth's Core, **4**, 395
Encounter with the Earth, **1**, 91
Encyclopedia of Earth Sciences. Vol. VIII. The Encyclopedia of World Regional Geology; Part 1: Western Hemisphere (including Antarctica and Australasia), **5**, 493
Evolution and Diagenesis of Quaternary Carbonate sequences, Shark Bay, Western Australia, **1**, 83
Evolution and Extinction Rate Controls, **1**, 88
Evolution and Morphology of the Trilobita, Trilobitoidea and Merostomata, **6**, 581
Focus on Environmental Geology, **6**, 586
Fossils (2nd edn), **6**, 585
Gebirgemechanik im Salz. Struktur und Gebirgsbewegungen, **4**, 393
Geological Outline of Sardinia, **6**, 587
The Geological Retrieval and Synopsis Program, **3**, 301
The Geological Time Table, 3rd edition, **2**, 182
Geology Explained: The Peak District, **6**, 586

The Geology of Central New Zealand, **1**, 87
The Geology of Continental Margins, **1**, 89
Geology of the Oman Mountains, **6**, 582
Glacial and Periglacial Geomorphology (2nd edn), volumes 1 and 2, **6**, 580
Gypsum and Anhydrite, **4**, 394
The Hot-Blooded Dinosaurs, **3**, 297
Ice Ages: Ancient and Modern, **1**, 87
Identification Tables for Minerals in Thin Sections, **1**, 91
Introduction to Geology. Volume 2. Earth History, **2**, 179
Introduction to Marine Geology and Geomorphology, **4**, 397
Introduction to Physical and Biological Oceanography, **4**, 397
An Introduction to Sedimentology, **5**, 491
Investigations of Lower Paleozoic geology, **4**, 396
Jurassic and lower Cretaceous paleogeography and depositional tectonics of Porcupine Plateau, adjacent areas of northern Yukon and those of Mackenzie District, **2**, 179
Lehrbuch der Allgemeinen Geologie, **1**, 84
The Logic of Geological Maps, **3**, 300
Lower and lower Middle Devonian rugose corals of the Central Great Basin, **2**, 177
A Manual of Scientific Enquiry prepared for the use of Officers in Her Majesty's Navy; and Travellers in General, **4**, 392
Marine Geology and Oceanography of the Arctic Seas, **1**, 85
Metamorphic Processes. Reactions and Microstructure Development, **4**, 394
Methods of Treatment of Unstable Ground, **2**, 182
Middle Devonian rugose corals of the Central Great Basin, **2**, 177
Miospores and microplankton from Aptian–Albian rocks along Horton River, District of Mackenzie, **6**, 590
Normapolles pollen from the Mississippi embayment, **6**, 589
Norsk Polarinstitutt. 1976. Årbok 1974, **5**, 492
The Ordovician Trilobites of Spitsbergen, **2**, 184
Ore Deposits, **4**, 393
Palynologic analyses of Upper Mesozoic and Cenozoic rocks of the Grand Banks, Atlantic Continental Margin, **4**, 398
Petrogenesis of Metamorphic Rocks, **1**, 90
Petroleum geology of Naval Petroleum Reserve No 1, Elk Hills, Kern County, California, **5**, 491
Physical Aspects of Natural Catastrophes, **1**, 91
The Rockhound's Handbook, **6**, 579
The Rotation of the Earth, **2**, 183
Sedimentation Models and Quantitative Stratigraphy, **3**, 298
Sediments and Sedimentary Rocks, **1**, 86
Silurian – Lower Devonian Conodont sequence in the Roberts Mountains Formation of Central Nevada, **1**, 85
Silurian rugose corals of the central and southwest Great Basin, **2**, 177
Structural style influenced by lithofacies, Rocky Mountain Main Ranges, Alberta – British Columbia, **6**, 587

The Structure of the Alps, **3**, 300
The Structure of the Earth's Crust, **6**, 579
Tectonic Evolution of the Northern Apennines, **6**, 587
Tectonic studies of the Berkshire Massif, western Massachusetts, Connecticut and Vermont, **2**, 184
Tertiary Faunas. Volume 1: The Composition of Tertiary Faunas. Volume 2: The Sequence of Tertiary Faunas, **2**, 182
Trace Element Analysis, **4**, 393
Trek of the Oil Finders: A History of Exploration for Petroleum, **2**, 181
Trilobites. A Photographic Atlas, **2**, 184
Upper Silurian? to Middle Devonian Spores of the Moose River Basin, Ontario, **6**, 588
Volcanoes of the Earth, Moon and Mars, **6**, 583

Publications Received

Lists appear beginning pages **1**, 93; **2**, 185; **3**, 302; **4**, 399; **5**, 495; **6**, 591

Index

to Authors, key words in titles and to new taxa in Volume 113;
(R) indicates Review

Aguirre, L. Structural evolution of the Northernmost Andes, Colombia, 475
Aitkenicythere, 489
Alberta, Rocky Mountain Main Ranges (R), 587
Ali, M. T. The significance of a mid-Cretaceous cobble conglomerate, Beer District, south Devon, 151
Alkali rock genesis, 97
Allgemeinen Geologie (R), 84
Alps (R), 300
Ammonoids, ceratitic, 39
Andes, northernmost, 475; southern, 305
Anhydrite (R), 394; nodules, 569
Apennines, Northern (R), 587
Aptian–Albian (R), 590
$^{40}Ar/^{39}Ar$ age, 329
Archaean quartzite, 545
Archaeology, Death Valley (R), 585
Archer, R., Turner, P., Tarling, D. H. & Donovan, R. N. A palaeomagnetic argument concerning post-Devonian displacement along the Great Glen Fault, 365
Arctic Seas (R), 85
Arran, 389
Australia, Broken Hill, 263

Back-arc, 305
Basalts, western Scotland, 525
Basement, Tanganyika shield, 53
Bate, R. H. New name for *Rhadinocythere* Bate, 1975, 489
Beer District, south Devon, 151
Bennett, M. C. The ultramafic–mafic complex at North Cape, northernmost New Zealand, 61
Berkshire Massif, U.S.A. (R), 184
Blackstones igneous centre, western Scotland, 525
Bonham-Carter, G. & Waterhouse, J. B. Range, proportionate representation, and demise of brachiopod families through Permian Period, 401
Bowes, D. R., Hopgood, A. M. & Pidgeon, R. T. Source ages of zircons in an Archaean quartzite, Rona, Inner Hebrides, Scotland, 545
Brachiopod families, 401
Brereton, N. R., Hooker, P. J. & Miller, J. A. Some conventional potassium–argon and $^{40}Ar/^{39}Ar$ age studies of glauconite, 329
'Bristol Diamonds', 569

Britain, 115
British Columbia, Rocky Mountain Main Ranges (R), 587
British Tertiary Granites, 271
Broken Hill, Australia, 263
Bronzite Complex, 129
Brunsden, D., Doornkamp, J. C., Green, C. P. & Jones, D. K. C. Tertiary and Cretaceous sediments in solution pipes in the Devonian Limestone of South Devon, England, 441
Bryozoan, Ordovician, 515
Burma, Central, 515

Calapoecia, 457
Cambria, 449
Cameron, W. E. Coexisting sillimanite and mullite, 497
Campbell, I. H. & McClay, K. R. The structure and shape of the Jimberlana Intrusion, Western Australia, as indicated by an investigation of the Bronzite Complex, 129
?*Carabocrinus* sp., 35
Carbonate Facies (R), 584
Cartes géologiques (R), 396
Central Nevada, Silurian – Lower Devonian (R), 85
Cenozoic, Grand Banks (R), 398
Challinor, J., The 'Precambrian' in Cambria, 449
Chamba syncline, 141
Cheirocystella sp., 33
Ciochon, R. L., Maw, U Ba, San, U Bo & Ross, J. R. P. The Ordovician Bryozoan (Ectoproct) *Diplotrypa* from Central Burma, 515
Cleavage, 377
Climatic trends, 115
Coal Measures, South Wales, 535
Coarse-grained Sediments (R), 180
Co-genesis, 165
Colombia, 475
Conodont, Central Nevada (R), 85
Continental Margins (R), 89
Corals, Devonian (R), 177; Ordovician, 457; Silurian (R), 177
Cretaceous, Late, 115; Mid, 151; paleogeography (R), 179; sediments, 441
Crimes, T. P. & Marcos, A. Trilobite traces and the age of the lowest part of the Ordovician reference section for N.W. Spain, 349
Cromerian, 469
Crowther, P. R. & Jenkins, C. J. Retiolitids from the Llanvirn and Darriwillian, 277
Cyprus, 165

Darriwillian, 277
Death Valley (R), 585
Desmet, A. P. Evidence of co-genesis of the Troodos Lavas, Cyprus, 165

Devon, mid-Cretaceous, 151; South, Tertiary and Cretaceous, 441
Devonian, Great Basin (R), 177; Hudson Platform (R), 589; Limestone, 441
De Wit, M. J. A note on the origin of syntectonic porphyroblasts and their inclusion fabrics, 383
Dinosaurs (R), 297
Diplotrypa, 515
Dolerite, 77
Donovan, R. N., Turner, P., Tarling, D. H. & Archer, R. A palaeomagnetic argument concerning post-Devonian displacement along the Great Glen Fault, 365
Doornkamp, J. C., Brunsden, D., Green, C. P. & Jones, D. K. C. Tertiary and Cretaceous sediments in solution pipes in the Devonian Limestone of South Devon, England, 441
Duncan, A. M. Pyroclastic flow deposits in the Adrano area of Mount Etna, Sicily, 357
Durrance, E. M. A gravity survey of Islay, Scotland, 251
Dyke, layered dolerite, 77
Dykes, clastic, 169

Earth (R), 91; History (R), 179; Rotation (R), 183; Sciences, Western Hemisphere (R), 493; Volcanoes (R), 583
Earth's Core (R), 395; Crust (R), 579
Echinoderms, 29
Ecology, Death Valley (R), 585
England, Jurassic, 47
Environmental Geology (R), 586
Evolution (R), 88
Extinction (R), 88

Facies, Carbonate (R), 584
Fault patterns, 561
Faunas, Late Cretaceous, 115; Tertiary (R), 182
Favistina, 457
Fe–Tremolite, 575
Fitch, F. J., Miller, J. A. & Hooker, P. J. Single whole rock K–Ar isochrons, 1
Fossil Fuels (R), 178
Fossils (R), 585
French, W. J. Rock composition, density and a variation diagram, 371
Freund, R. & Merzer, A. M. The formation of rift valleys and their zigzag fault patterns, 561
Funnell, B. M. Geological Hazards, 487
Furnish, W. M., Glenister, B. F., Kummel, B., Spinosa, C., Sweet, W. & Teichert, C. Reinterpretation of ceratitic ammonoids from the Greville Formation, New Zealand, 39

Garnet–biotite, 263
Geological, Hazards, 487; Maps (R), 300; Retrieval and Synopsis Program (R), 301; Time Table (R), 182

Geology, Death Valley (R), 585; Introduction (R), 179
Geomorphology (R), 580; Introduction (R), 397
Geophysics, Applied (R), 492
Georgia, South, 305
Glacial Geomorphology (R), 580
Glauconite, 329
Glenister, B. F., Furnish, W. M., Kummel, B., Spinosa, C., Sweet, W. & Teichert, C. Reinterpretation of ceratitic ammonoids from the Greville Formation, New Zealand, 39
Glyptocystites groenlandicus sp.nov., 30
Granites, Tertiary, 271
Granodiorite, emplacement of, 553
Grant, M., MacRae, N. D. & Kullerud, G. A note on the sulphurization of Fe–Tremolite, 575
Gravity survey, 251
Great Basin, rugose corals (R), 177; Silurian (R), 177
Great Glen Fault, 365
Green, C. P., Brunsden, D., Doornkamp, J. C. & Jones, D. K. C. Tertiary and Cretaceous sediments in solution pipes in the Devonian Limestone of South Devon, England, 441
Greenland, East, 287; Ordovician, 29; West, 77
Greenstone belt, 53
Greville Formation, 39
Ground Unstable (R), 182
Gypsum (R), 394

Haidutov, I. S. A greenstone belt–basement relationship in the Tanganyika shield, 53
Handbook, Rockhound's (R), 579
Harland, W. B., Hughes, N. F. & Smith, D. G. Preservation and abundance of palynomorphs in Svalbard, 233
Harland, W. B., Scrutton, C. T. & Horsfield, W. T. Silurian fossils from western Spitsbergen, 519
Harland, W. B., Smith, D. G., Hughes, N. F. & Pickton, C. A. G. The geology of Kong Karls Land, Svalbard, 193
Hebrides, Inner, 545
Himalaya, 141
Hooker, P. J., Brereton, N. R. & Miller, J. A. Some conventional potassium–argon and $^{40}Ar/^{39}Ar$ age studies of glauconite, 329
Hooker, P. J., Fitch, F. J. & Miller, J. A. Single whole rock K–Ar isochrons, 1
Hopgood, A. M., Bowes, D. R. & Pidgeon, R. T. Source ages of zircons in an Archaean quartzite, Rona, Inner Hebrides, Scotland, 545
Horsfield, W. T., Scrutton, C. T. & Harland, W. B. Silurian fossils from western Spitsbergen, 519
Hudson Platform, Devonian (R), 589
Hughes, N. F., Harland, W. B. & Smith, D. G. Preservation and abundance of palynomorphs in Svalbard, 233

Hughes, N. F., Smith, D. G., Harland, W. B., Pickton, C. A. G. The geology of Kong Karls Land, Svalbard, 193
Hydrography, Late Cretaceous, 115

Ice Ages (R), 87
Inclusion fabrics, 383
India, 141
Ireland, 115
Island-arc, 305
Islay, Scotland, 251
Isochrons, K–Ar, 1

Jamaica, 429
Jenkins, C. J. & Crowther, P. R. Retiolitids from the Llanvirn and Darriwillian, 277
Jimberlana Intrusion, 129
Jones, D. K. C., Brunsden, D., Doornkamp, J. C. & Green, C. P. Tertiary and Cretaceous sediments in solution pipes in the Devonian Limestone of South Devon, England, 441
Jones, E. J. W., Mitchell, J. G. & Jones, G. T. The composition and age of basalts dredged from the Blackstones igneous centre, western Scotland, 525
Jones, G. T., Mitchell, J. G. & Jones, E. J. W. The composition and age of basalts dredged from the Blackstones igneous centre, western Scotland, 525
Jull, R. K. Review of some species of *Favistina*, *Nyctopora*, and *Calapoecia* (Ordovician corals from North America), 457
Jurassic, 47; Porcupine Plateau (R), 179

K–Ar isochrons, 1
Knox, G. J. The early Tertiary deep-water sandstones near San Sebastian, Spain; some aspects of diagenesis, 341
Kong Karls Land, 193
Kullerud, G., MacRae, N. D. & Grant, M. A note on the sulphurization of Fe–Tremolite, 575
Kummel, B., Furnish, W. M., Glenister, B. F., Spinosa, C., Sweet, W. & Teichert, C. Reinterpretation of ceratitic ammonoids from the Greville Formation, New Zealand, 39

Lake District, 377
Leitch, E. C. Emplacement of an epizonal granodiorite pluton λ by vertical block elevation, 553
Lilloise Intrusion, 287
Limestone, Devonian, 441
Llanvirn, 277
Load structures, seismically-induced, 535
Lower Devonian, Central Nevada (R), 85

MacRae, N. D., Grant, M. & Kullerud, G. A note on the sulphurization of Fe–Tremolite, 575
Macrocystella sp.nov., 33

Mafic Complex, New Zealand, 61
Marcos, A. & Crimes, T. P. Trilobite traces and the age of the lowest part of the Ordovician reference section for N.W. Spain, 349
Marine Geology, Arctic Seas (R), 85; Introduction (R), 397
Mars, Volcanoes (R), 583
Matthews, D. W. Post-cumulus disruption of the Lilloise Intrusion, East Greenland, 287
Maw, U Ba, San, U Bo, Ross, J. R. P. & Ciochon, R. L. The Ordovician Bryozoan (Ectoproct) *Diplotrypa* from Central Burma, 515
McClay, K. R. & Campbell, I. H. The structure and shape of the Jimberlana Intrusion, Western Australia, as indicated by an investigation of the Bronzite Complex, 129
Merostomata (R), 581
Merzer, A. M. & Freund, R. The formation of rift valleys and their zigzag fault patterns, 561
Mesozoic, Grand Banks (R), 398; Upper, 305
Metamorphic Processes (R), 394; Rocks (R), 90; rocks, high grade, 263
Microplankton (R), 590
Miller, J. A., Brereton, N. R., & Hooker, P. J. Some conventional potassium–argon and $^{40}Ar/^{39}Ar$ age studies of glauconite, 329
Miller, J. A., Fitch, F. J. & Hooker, P. J. Single whole rock K–Ar isochrons, 1
Mineral lineation, 141
Minerals, Identification Tables (R), 91
Miospores (R), 590
Mississippi embayment (R), 589
Mitchell, J. G., Jones, E. J. W. & Jones, G. T. The composition and age of basalts dredged from the Blackstones igneous centre, western Scotland, 525
Moon, Volcanoes (R), 583
Moose River Basin, Ontario (R), 588
Mount Etna, 357
Mull, 389
Mullite, 497

Nami, M. An exhumed Jurassic meander belt from Yorkshire, England, 47
Natural Catastrophes (R), 91
New Zealand, Geology (R), 87; Greville Formation, 39; northernmost, 61
Nodules, Anhydrite, 569
Norfolk, Cromerian, 469
Normapolles pollen (R), 589
Norsk Polarinstitutt. 1976. Årbok 1974 (R), 492
North America, Ordovician corals, 457
North Cape, New Zealand, 61
Norway, North, 169
Nyctopora, 457

Oceanography, Arctic Seas (R), 85; Physical and Biological (R), 397
O'Connor, P. J. Strontium isotope ratios of some acid rocks from Mull and Arran, Scotland, 389
Oil finders (R), 181
Oman Mountains (R), 582
Ontario, Upper Silurian? to middle Devonian spores (R), 588
Ordovician, Bryozoan, 515; central Wales, 159; corals, 457; Greenland, 29; North Portugal, 11; N.W. Spain, 349; Trilobites (R), 184
Ore Deposits (R), 393

Palaeomagnetism, 365
Paleogeography, Porcupine Plateau (R), 179
Paleozoic, Lower (R), 396
Palynomorphs, Preservation and abundance, 233
Paul, C. R. C. Ordovician echinoderms from Greenland, 29
The Peak District (R), 586
Pebble lineation, 141
Periglacial Geomorphology (R), 580
Permian, 401
Petrogenesis (R), 90
Petroleum, geology (R), 491; history of exploration (R), 181
Pettigrew, T. H. & Suárez, M. An Upper Mesozoic island-arc–back-arc system in the southern Andes and South Georgia, 305
Pickerill, R. K. *Vermiforichnus* borings from the Ordovician of central Wales, 159
Pickton, C. A. G., Smith, D. G., Harland, W. B. & Hughes, N. F. The geology of Kong Karls Land, Svalbard, 193
Pidgeon, R. T., Bowes, D. R. & Hopgood, A. M. Source ages of zircons in an Archaean quartzite, Rona, Inner Hebrides, Scotland, 545
Placoparia (*Coplacoparia*) *borni*, 11; *tournemini*, 11
Placoparia (*Placoparia*) *cambriensis*, 11
Pleistocene, British, 241
Plimer, I. R. Garnet–biotite relationships in high grade metamorphic rocks at Broken Hill, Australia, 263
Pluton, emplacement of, 553
Porcupine Plateau (R), 179
Porphyroblasts, syntectonic, 383
Porsangerfjord Group, 169
Portugal, North, 11
Potassium–argon, 329
Precambrian, 449; north Norway, 169
Punjab Himalaya, 141
Pyroclastic, flow deposits, 357; post-eruptive sorting, 429

Quaternary, Shark Bay (R), 83

Radioelement concentrations, 271
Reid, R. E. H. Late Cretaceous climatic trends, faunas, and hydrography in Britain and Ireland, 115

Retiolitids, 277
Rhadinocythere, 489
Rift valleys, 561
Roberts, D. E. Cleavage formation in the Skiddaw Slates of the Northern Lake District, England, 377
Roberts Mountains Formation, Central Nevada (R), 85
Rock, N. M. S. The role of CO_2 in alkali rock genesis, 97
Rocky Mountain Main Ranges (R), 587
Romano, M. The trilobite genus *Placoparia* from the Ordovician of the Valongo area, North Portugal, 11
Roobal, M. J. Post-eruptive mechanical sorting of pyroclastic material – An example from Jamaica, 429
Ross, J. R. P., Maw, U Ba, San, U Bo & Ciochon, R. L. The Ordovician Bryozoan (Ectoproct) *Diplotrypa* from Central Burma, 515

Salz, Gebirgemechanik (R), 393
Sandstones, 341
San, U Bo, Maw, U Ba, Ross, J. R. P. & Ciochon, R. L. The Ordovician Bryozoan (Ectoproct) *Diplotrypa* from Central Burma, 515
Sardinia (R), 587
Scientific Enquiry (R), 392
Scotland, Archaean quartzite, 545; basalts, 525; Islay, 251
Scrutton, C. T., Horsfield, W. T. & Harland, W. B. Silurian fossils from western Spitsbergen, 519
Sedimentary Rocks (R), 86
Sedimentation Models (R), 298
Sedimentology, Introduction (R), 491
Sediments (R), 86; Coarse-grained (R), 180
Shark Bay, Quaternary (R), 83
Shotton, F. W. Amplification of the Wolstonian Stage of the British Pleistocene, 241
Sicily, 357
Sillimanite, 497
Silurian, Central Nevada (R), 85; Great Basin (R), 177; western Spitsbergen, 519
Skiddaw Slates, 377
Smith, D. G., Harland, W. B., Hughes, N. F. & Pickton, C. A. G. The Geology of Kong Karls Land, Svalbard, 193
Smith, D. G., Hughes, N. F. & Harland, W. B. Preservation and abundance of palynomorphs in Svalbard, 233
South Wales, Coal Measures, 535
Spain, Ordovician, 349; Tertiary, 341
Spinosa, C., Furnish, W. M., Glenister, B. F., Kummel, B., Sweet, W. & Teichert, C. Reinterpretation of ceratitic ammonoids from the Greville Formation, New Zealand, 39
Spitsbergen, Ordovician (R), 184; western, 519
Spores, Upper Silurian? to middle Devonian (R), 588
Stratigraphy, Quantitative (R), 298
Strontium isotope ratios, 389

Stuart, A. J. & West, R. G. Late Cromerian Fauna and Flora at Ostend Norfolk, 469
Suárez, M. & Pettigrew, T. H. An Upper Mesozoic island-arc–back-arc system in the southern Andes and South Georgia, 305
Svalbard, Kong Karls Land, 193; palynomorphs, 233
Sweet, W., Furnish, W. M., Glenister, B. F., Kummel, B., Spinosa, C. & Teichert, C. Reinterpretation of ceratitic ammonoids from the Greville Formation New Zealand, 39

Tammemagi, H. Y. Radioelement concentrations in British Tertiary Granites, 271
Tandon, S. K. & Thakur, V. C. Significance of pebble and mineral lineation in the Chamba syncline of Punjab Himalaya, Himachal Pradesh, India, 141
Tanganyika shield, 53
Tarling, D. H., Turner, P., Archer, R. & Donovan, R. N. A palaeomagnetic argument concerning post-Devonian displacement along the Great Glen Fault, 365
Tectonic Evolution, Northern Apennines (R), 587; U.S.A. (R), 184
Teichert, C., Furnish, W. M., Glenister, B. F., Kummel, B., Spinosa, & C. Sweet, W. Reinterpretation of ceratitic ammonoids from the Greville Formation, New Zealand, 39
Tertiary, Faunas (R), 182; Granites, 271; sandstones, 341; sediments, 441
Thakur, V. C. & Tandon, S. K. Significance of pebble and mineral lineation in the Chamba syncline of Punjab Himalaya, Himachal Pradesh, India, 141
Time Table, Geological (R), 182
Trace Element (R), 393
Triassic, Bristol District, 569
Trilobita (R), 581
Trilobites (R), 184; Ordovician (R), 184; traces, 349
Trilobitoidea (R), 581
Troodos Lavas, 165
Tucker, M. E. Quartz replaced anhydrite nodules ('Bristol Diamonds') from the Triassic of the Bristol District, 569
Turner, P., Tarling, D. H., Archer, R. & Donovan, R. N. A palaeomagnetic argument concerning post-Devonian displacement along the Great Glen Fault, 365

Ultramafic complex, New Zealand, 61
Unstable Ground (R), 182

Valongo area, 11
Variation diagram, 371
Vermiforichnus borings, 159
Volcanoes (R), 583

Wales, central, 159
Waterhouse, J. B. & Bonham-Carter, G. Range, proportionate representation, and demise of brachiopod families through Permian Period, 401

Weaver, J. D. Seismically-induced load structures in the basal Coal Measures, South Wales, 535
Western Australia, 129
Western Hemisphere, Earth Sciences (R), 493
West, R. G. & Stuart, A. J. Late Cromerian Fauna and Flora at Ostend, Norfolk, 469
Williams, D. M. Clastic dykes from the Precambrian Porsangerfjord Group, North Norway, 169
Williams, H. R. An erosional structure in a layered dolerite dyke, West Greenland, 77
Wolstonian Stage, 241

Yorkshire, Jurassic, 47

Zircons, 545